



HEBEI SHENG MAI CONSTRUCTION MATERIAL TECHNOLOGY CO.,LTD

Website:www.wiremeshfences.net Email:sales03@fencewiremesh.com Tel:+86-18032888759 Fax:+86-311-85030301

QUOTATION SHEET

Contact person: Sarah Zhou

Products Detail

Curvy welded fence

Curvy welded fence is a complete welded wire fencing system, able to enhance every architectural style. Designed to meet your perimeter security needs while blending in with the background. Curvy welded fence is a welded wire fencing system for residential, commercial and industrial fencing projects.

Material: low carbon steel, mild steel wire, stainless steel wire, etc.

Special processes: electro galvanized, hot dipped galvanized, plastic-soaked

Features: corrosion-resisting, durable, withstanding outdoor exposure

Specification:

- * The welded mesh fence panels could be 4 curvy, 3 curvy, 2 curvy according to the height of the mesh fence, and which are available in a range of heights from 1030 to 2500mm and have a width of 2500 to 3000mm.
- * The wire diameter is usually from 4mm to 5mm, which welded at each intersection. The panels have vertical barbs of 20mm-30mm at the top.
- * The mesh patterns are 100X50mm, or 150X70mm, 200mmx50mm.

Advantages:

- * Cost Effective

The welded mesh fence panels provide competitive price levels whilst retaining high quality, rigidity and performance.

- * Long Life

Galvanized and PVC coated of corrosion resistance for long life and low maintenance and attractive appearance.

- * High Strength

The welded mesh fence panels are welded from strong steel wire, with rectangular mesh and horizontal reinforcements that give the panels a high strength.

- * Rapid Installation

All components attractive fence with the other components which achieves professional and high quality fencing, installed with maximum effectiveness.

Application: Mainly used in highway and railway bridges on both sides of the protection zone; airports, ports, terminals security; municipal building in the park, lawn, zoo, pool Lake, roads, and residential isolation and protection; guesthouses, hotels, supermarkets, entertainment protective and decorative.

Peach PostCurvy welded fence

Because of some unique advantages, peach post triangle fence becomes a popular product in many developed countries, including the U.S.A., Japan, South Korea and in large cities of China .It is a beautiful, suitable for any hypsography, and convenient in installation.

Materials:

Peach post triangle fences are made from two parts, high quality low carbon steel welded wire mesh and peach-shaped post. The fences also can be made from stainless steel wire, electro-galvanized wire, and hot-galvanized wire.

Processing: weaving and Welding

Advantages:

1. corrosion resistance, aging resistance, sunshine resistance and weather resistance.
2. Easy to install
3. Elegant appearance firm structure
4. Relatively low cost



Square Post Wire Mesh Fence:

Material: galvanized iron wire mesh; Al-Mg alloy wire; etc;

Characteristics: anti-abrasion; anti-corrosion; aging resisting; easy to transport; easy installed; sunshine resisting

Surface Treatment:

Galvanized and PE/PVC coated.

Galvanized include Hot Galvanized

Electro Galvanized

PE coated include power coated and PE coated.

Features:

- * Easy set up or install and transportation saves time and labor costs
- * Attractive and sturdy fence panels
- * Durable construction can withstand years of abuse in outdoor settings
- * Bright, reflective colors stand out in day or night
- * Weather proof, corrosion resistance and alkali resistance
- * Good through visibility with no blind spots
- * Virtually maintenance free

Applications: freeway; railway; airport; seaport; garden; government; building; planting; sting; weather resisting;

Advantages:

- 1).posts of fence made with concrete pouring, and with low cost.
- 2).high strength; good overall stability.
- 3).color plastic coating layer has a good anti-corrosion and decorative effect

Specifications:

Mesh Size:50*200mm,50*150mm,50*100mm,75*100mm				
Height	Length	Curve	Wire diameter	
0.63m	2.00m	2	3.0m 4.0m 5.0m 6.0m	
0.83m	2.00m	2		
1.03m	2.00m	2		
1.23m	2.00m	2		
1.43m	2.00m	2		
1.63m	2.50m	3		
1.83m	2.50m	3		
2.03m	2.50m	4		
2.23m	2.50m	4		
2.43m	2.50m	4		
Surface Treatment:1.Electric galvanized and PVC coated				
2.Hot dipped galvanized and PVC coated				
3.PVC coated without galvanized				
4.Electric galvanized or hot dipped galvanized				

